



**TARALAC®**

# TARA PAINTS & CHEMICALS

(An ISO 9001:2015 Certified Company)

A - 423 / 14, Mahagujarat Industrial Estate, Sarkhej - Bavla Road, Lane Behind Satyam Arcade,  
Village : Moraiya, Ahmedabad - 382 210, Gujarat (India)

Tel: (F): +91 8000011774, E-mail: taralac@hotmail.com , taralac@taralac.com Website: www.taralac.com

## 0115 WB Wood Putty SAFETY DATA SHEET

### SECTION 1 - PRODUCT INFORMATION

<b>Product Identifier:</b> WB Wood Putty		<b>Chemical Description</b> Styrene Acrylic Emulsion based water Putty	
<b>Product Use:</b> Interior emulsion primer for cement, surface.			
<b>Manufacturer's Name:</b> TARA PAINTS & CHEMICALS		<b>Supplier's Name:</b> TARA PAINTS & CHEMICALS	
<b>Street Address:</b> A/423/14, MAHAGUJARAT IND.ESTATE, AHMEDABAD.		<b>Street Address:</b> A/423/14, MAHAGUJARAT IND.ESTATE, AHMEDABAD	
<b>City:</b> AHMEDABAD	<b>State &amp; Country:</b> GUJARAT	<b>City:</b> AHMEDABAD	<b>State &amp; Country:</b> GUJARAT
<b>Postal Code:</b> 382210	<b>Emergency Phone:</b> 91-84000011774	<b>Postal Code:</b> 382210	<b>Emergency Phone:</b> mobile: 9825066652

### SECTION 2 - HAZARDOUS INGREDIENTS

Hazardous Ingredients (Specific)	%	CAS Number	LD 50 of Ingredient (Specify species, route)	LC 50 of Ingredient(Specify species)
CMIT/MIT(3:1)	<0.003	55965-84-9		35 ppm (Vapor, RAT)

There is no additional ingredients present which within the current knowledge of the supplier and in the concentration applicable, are classified as hazardous to health or the environment and hence require reporting in the section.

### SECTION 3 - HAZARDOUS IDENTIFICATION

SR	PARTICULARS	RESULT
1	Classification of the substance or mixture	SHORT -TERM (ACUTE) AQUATIC HAZARD CATERGORY 3 LONG -TERM (CHRONIC) AQUATIC HAZARD CATEGORY 3
2	GHS LABEL	SINGEL WORD -No signal word H412-Harmful to aquatic life with long lasting effect.
3	Precautionary Statement	
4	General	P102 keep out of reach of children
5	Prevention	P273-Avoid release to the environment



**TARALAC®**

# TARA PAINTS & CHEMICALS

(An ISO 9001:2015 Certified Company)

A - 423 / 14, Mahagujarat Industrial Estate, Sarkhej - Bavla Road, Lane Behind Satyam Arcade,  
Village : Moraiya, Ahmedabad - 382 210, Gujarat (India)

Tel: (F): +91 8000011774, E-mail: taralac@hotmail.com , taralac@taralac.com Website: www.taralac.com

## SECTION 4 - PHYSICAL DATA

<b>Physical State:</b> Liquid	<b>Odour and Appearance:</b> liquid with small	<b>Odour Threshold(ppm):</b> Not Available	
<b>Specific Gravity:</b> 0.99 - 1.1	<b>Vapour Density(air=1):</b> Not Available	<b>Vapour Pressure(mmHg):</b> Not Available	<b>Evaporation Rate:</b> Not Available
<b>Boiling Point(° C):</b> Not Available	<b>Freezing Point(° C):</b> Not Available	<b>pH:</b> Not Applicable	<b>Coefficient of Water/Oil Distribution:</b> Not Available

## SECTION 5 - FIRE AND EXPLOSION DATA

<b>Flammability:</b> No	<b>If yes, Under which Conditions?</b> No		
<b>Means of Extinction:</b> Alcohol foam, Carbon dioxide, dry chemical powder, Polymer foam			
<b>Flashpoint and Method:</b> 43 °C Closed Cup	<b>Upper Flammable Lt (% by Volume):</b> Not Available	<b>Lower Flammable Lt (% by Volume):</b> Not Available	
<b>Autoignition Temperature:</b> Not Available	<b>Explosion Data - Sensitivity to Impact:</b> No	<b>Explosion Data - Sensitivity to Static discharges:</b> No	
<b>Hazardous Combustion Products:</b> Carbon monoxide, carbon dioxide, nitrogen oxides			

## SECTION 6 - REACTIVITY DATA OR FIRE FIGHTING MEASURES

<b>Chemical Stability:</b> Stable	<b>If Yes, Under which Conditions?</b> Not Applicable
<b>Incompatibility with other substances:</b> Yes	<b>If yes, which ones?</b> Strong Acids / Strong Oxidising agents/ Strong Bases
<b>Reactivity, and under what conditions?</b> exposure to ignition sources, heat, ignition sources, exposure to peroxides, sparks, open flame, generation of dust, ignition sources, heat (temperatures above 194°C)	
<b>Hazardous Decomposition Products:</b> Carbon Monoxide	

## SECTION 7 - TOXICOLOGICAL PROPERTIES

Route of Entry	Skin Contact:	Absorption:	Eye Contact:	Inhalation:	Ingestion:
	No	No	No	No	No
<b>Effects to Acute exposure to Product:</b> No					
<b>Effects of Chronic Exposure to Product:</b> No					
<b>Exposure Limits (Value, Units, By)</b> NA			<b>Irritancy (if yes, explain)</b> NO irritancy		
<b>Sensitisation (if yes, explain).</b>			<b>Carcinogenicity (if yes, explain)</b>		
<b>Reproductive Toxicity (if yes, explain)</b>			<b>Teratogenicity (if yes, explain)</b>		



**TARALAC®**

# TARA PAINTS & CHEMICALS

(An ISO 9001:2015 Certified Company)

A - 423 / 14, Mahagujarat Industrial Estate, Sarkhej - Bavla Road, Lane Behind Satyam Arcade,  
Village : Moraiya, Ahmedabad - 382 210, Gujarat (India)

Tel: (F): +91 8000011774, E-mail: taralac@hotmail.com , taralac@taralac.com Website: www.taralac.com

Mutagenicity (if yes, explain)

Synergistic Products (if yes, explain)

## **SECTION 8 - PHYSICAL AND CHEMICAL PROPERTIES**

### **General Information:**

**Form:** Liquid

**Colour:** White

**Odour:** Characteristic

**Boiling point/Boiling range:** lowest known value 100 degree (water)

**Flashpoint:** closed cup not applicable

**Ignition temperature:** 365°C (689°F)

**Auto igniting:** Product is not self-igniting.

**The danger of explosion:** Stable at normal temperatures.

Fahrenheit. Non explosive

**Lower Explosion Limit:** Not Applicable

**Upper Explosion Limit:** Not Applicable

**Vapor Pressure:** Highest Known value 3.2 kpa (23.8mmhg)(at 20degree) Water

**Density at 20°C (68°F):** 1.23g/cm<sup>3</sup>

**Specific Gravity:** Between 0.77 and 0.85 (Water equals 1.00)

**VOC content:** less than 55 ppm

**VOC content (less exempt solvents):** 60.0 %

**MIR Value:** 1.19

**Solids content:** 35 %

## **SECTION 9 - STABILITY AND REACTIVITY**

**Conditions to be avoided:** Stable at normal temperatures.

**Possibility of Hazardous:** Not hazardous

**Reactions:** No specific data.

## **10 - ECOLOGICAL INFORMATION**

**Other information:** Not Applicable

**Aquatic toxicity:** Not Applicable.

## **11 - DISPOSAL CONSIDERATIONS**

**DISPOSAL METHOD:** Dispose of by local, state, and federal regulations. Do not puncture, incinerate, or compact.

Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

**Recommendation:** Empty cans should be recycled.

## **12 - TRANSPORT INFORMATION**

**Hazard class:** 3

**Identification number:** N/A

**Label:** 2.1

**ADR/RID class:** Not regulated

**UN-Number:** Not regulated

**IMDG Class:** 3

**Packaging group:** III

**EMS Number:** F-D, S-U

**Marine pollutant:** No

**ICAO/IATA Class:** 3

**Proper shipping name:** PAINT

## **SECTION 13 - PREVENTIVE MEASURES OR HANDLING & STORAGE**



**TARALAC®**

# TARA PAINTS & CHEMICALS

(An ISO 9001:2015 Certified Company)

A - 423 / 14, Mahagujarat Industrial Estate, Sarkhej - Bavla Road, Lane Behind Satyam Arcade,  
Village : Moraiya, Ahmedabad - 382 210, Gujarat (India)

Tel: (F): +91 8000011774, E-mail: taralac@hotmail.com , taralac@taralac.com Website: www.taralac.com

Personal Protective Equipment	Gloves: Yes	Respirator: Yes	Eye: Yes	Footwear: No	Clothing: No	Other: No
<b>If checked, specify type:</b> Gloves: BUTYL RUBBER Respirator: NIOSH APPROVED Eye: SPLASH RESISTANT						
<b>Engineering controls (specify such as ventilation, enclosed process):</b> Use mechanical ventilation to reduce exposure						
<b>Leak and Spill Procedure:</b> Wear adequate protective equipment. Contain spill with absorbent material and place in a suitable covered and labelled container for disposal.						
<b>Waste Disposal:</b> Check with federal. Provincial and local government regulations and requirements for disposal						
<b>Handling Procedures Equipment:</b> Use in a well-ventilated area. Do not use with incompatible substances.						
<b>Storage Requirements:</b> Store in a cool, well-ventilated area out of direct sunlight.						
<b>Special Shipping Information:</b> TDG Shipping Name: PAINT Classification: 3.3 Packing Group: III Identification Number: UN1263						

## **SECTION 14 - FIRST AID MEASURES**

<b>Inhalation:</b> Remove to fresh air. Get medical help if there is any breathing difficulty
<b>Ingestion:</b> Do not induce vomiting unless directed by a physician. Give two glasses of water. Seek medical attention immediately
<b>Skin Contact:</b> Remove Contaminated clothing (including shoes) and washes before reuse. Flush with large amounts of soap and water. If irritation persists, seek medical attention.
<b>Eye Contact:</b> Flush eyes with large amounts of lukewarm water for 20 minutes, while holding eyelids open or until irritation subsides. If irritation persists, get medical attention.

## **15 - REGULATIONS**

**SARA Section 355 (extremely hazardous substances):** None of the ingredients in this product is listed.

**SARA Section 313 (Specific toxic chemical listings):** None of the ingredients is listed.

**TSCA (Toxic Substances Control Act):** All ingredients are listed.

**PROPOSITION 65 Chemicals known to cause cancer:** 1333-86-4 Carbon black 100-41-4 ethylbenzene

DR

### **PROPOSITION 65**

**Chemicals are known to cause developmental toxicity:** 108-88-3 Toluene

**Canadian WHMIS:** Class A, B5---Flammable Aerosols

### **EPA:**

A= Known human carcinogen

B= Probable human carcinogen

C= Possible human carcinogen

D= Not classifiable as to human carcinogenicity: Inadequate human and animal evidence of carcinogenicity (or no data is available).

A= Known human carcinogen

B= Probable human carcinogen

C= Possible human carcinogen



**TARALAC®**

# TARA PAINTS & CHEMICALS

(An ISO 9001:2015 Certified Company)

A - 423 / 14, Mahagujarat Industrial Estate, Sarkhej - Bavla Road, Lane Behind Satyam Arcade,  
Village : Moraiya, Ahmedabad - 382 210, Gujarat (India)

Tel: (F): +91 8000011774, E-mail: taralac@hotmail.com , taralac@taralac.com Website: www.taralac.com

D= Not classifiable as to human carcinogenicity: Inadequate human and animal evidence of carcinogenicity (or no data is available).

**IARC:** Group 2B: The ingredient is possibly carcinogenic to humans. There is limited evidence of carcinogenicity.

Group 3: The ingredient is unclassifiable as to its carcinogenicity to humans. 67-63-0 isopropyl alcohol 3

**ACGIH TLVs:**

A1-designates a confirmed human carcinogen.

A2-designates a suspected human carcinogen.

A3-designates an animal carcinogen.

A4-designates "not classifiable as a human carcinogen".

A1-designates a confirmed human carcinogen.

A2-designates a suspected human carcinogen.

A3-designates an animal carcinogen.

A4-designates "not classifiable as a human carcinogen".

## **SECTION 16- OTHER INFORMATION**

### **16.1**

When sanding any, paint uses wet sanding to avoid breathing dust. Wear a dust respirator if wet sanding not possible. Refer to the Technical Data Sheet for this product for directions for use.

