



TARA PAINTS & CHEMICALS

A/423/14, Mahagujarat Industrial Estate, Sarkhej-Bavla Road, Village-Moraiya, Ahmedabad

Tel: (F): 02717-251256 / 320003
Mobile: 9825066652

Fax: 02717-251256

E-mail: taralac@hotmail.com

0803 WB 1k PU Clear Safety Data Sheet

1. Identification of the substance/preparation and company

Product: **TARALAC – PUD**

Recommended use: Water based Polyurethane modified waterproofing membrane..

Emergency information phone: 02717-320003

2. Composition/information on ingredients

Polyurethane/Acrylic Wood finish

Hazardous ingredients: Ingredient CAS No Concentration

3. Hazard identification

None

4. First-aid measures

Inhalation: Remove to fresh air. Seek medical advice if irritation or other symptoms persist.

Skin contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes, hold eyelids apart and flush the eyes continuously with running water for at least 15 mins.

Seek medical advice if irritation or other symptoms persist.

Ingestion: If poisoning occurs, contact a doctor or Poisons Information Centre Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

Notes to physician: Treat symptomatically.

5. Fire-fighting measures

Specific hazards: Product is non flammable and non combustible. No fire hazards are anticipated.

6. Accidental release measures

Spills and Disposal

Caution should be taken to avoid spills. Spills on floor areas can be slippery. Spills should be cleaned up immediately. Spills should be cleaned up with water and mop. Large spills should be contained, transferred to sealed containers and disposed of as non toxic liquid waste.

7. Handling and storage

Handling: Avoid spills and skin and eye contact.

Storage: Store in sealed containers in a cool place when not in use.

8. Exposure controls/personal protection

National occupational exposure limits: No exposure standards have been established for this product. However as with all chemicals, exposure should be limited as much as possible.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances the ingredients in this material do not have a Biological Limit Allocated.

Engineering measures: Ensure ventilation is adequate to maintain air concentrations. Natural ventilation should be adequate under normal use conditions.

Personal protection equipment:

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.

Wear overalls, chemical goggles and impervious gloves. Due to variations in glove construction and local conditions, the user should make an assessment of the appropriate gloves to use. Wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using. If risk of inhalation of exists, wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.



TARA PAINTS & CHEMICALS

A/423/14, Mahagujarat Industrial Estate, Sarkhej-Bavla Road, Village-Moraiya, Ahmedabad

Tel: (F): 02717-251256 / 320003
Mobile: 9825066652

Fax: 02717-251256

E-mail: taralac@hotmail.com

9. Physical and chemical properties

Appearance: Physical state: Viscous liquid
Colour: Milky White
Odour: No Odour

Data relevant to safety:

Solubility: Soluble in water.
Specific Gravity (20 °C): approx. 1.2
Flammability non flammable
Boiling Point/Range (°C): >100

10. Stability and reactivity

Chemical stability: This material is thermally stable when stored and used as directed. No hazardous polymerisation.

11. Toxicological information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects:

Inhalation: Material may be irritant.

Skin contact: Repeated and prolonged skin contact will result in skin irritation.

Eye contact: May cause slight irritation.

Ingestion: No adverse effects expected in a small dose. Large doses can result in nausea, vomiting and irritation of the gastrointestinal tract.

Long Term Effects: No information available for product.

Acute toxicity / Chronic toxicity:

No LD50 data available for the product.

12. Ecological information

Avoid contaminating waterways.

Ecotoxicity:

No information available.

Persistence and degradability:

No information available.

Mobility: No information available.

13. Disposal considerations

Refer to State/Territory Land Waste Management Authority.

14. Transport information

Not classified as Dangerous Goods by the criteria of the ADG Code.

IMDG

Not classified as Dangerous Goods by the criteria of the IMDG Code for transport by sea.

IATA

Not classified as Dangerous Goods by the criteria of the IATA Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

No labeling necessary according to EC Directives 2006/121/EC or 1999/45/EC and their valid adaptations and derived national regulations.

National legislation

Water contaminating class (Germany): 1 slightly water endangering
(in accordance with Annex 4 to the Directive on Water-Hazardous Substances) Any existing national regulations on the handling of solvents must be observed.

16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3 of the EU classification.

R10 Flammable. R20/21/22 Harmful by inhalation, in contact with skin and if swallowed. R34 Causes burns.

SDS Ver.No. 0803.01/11122021

TARA PAINTS & CHEMICALS

A/423/14, Mahagujarat Industrial Estate, Sarkhej-Bavla Road, Village-Moraiya, Ahmedabad

Tel: (F): 02717-251256 / 320003
Mobile: 9825066652

Fax: 02717-251256

E-mail: taralac@hotmail.com

TARALAC®

R36/38 Irritating to eyes and skin.