



**TARALAC®**

# TARA PAINTS & CHEMICALS

(An ISO 9001:2015 Certified Company)

A - 423 / 14, Mahagujarat Industrial Estate, Sarkhej - Bavla Road, Lane Behind Satyam Arcade,  
Village : Moraiya, Ahmedabad - 382 210, Gujarat (India)

Tel: (F): +91 8000011774, E-mail: taralac@hotmail.com , taralac@taralac.com Website: www.taralac.com

## 1910 Orientation & Antiset for Metallics

### Safety Data Sheet

#### 1.) PRODUCT IDENTIFICATION:

Product Name: TARALAC Orientation & Anti settling Additive  
Product Code: 1910  
HS Code: 38140010

#### 2.) PHYSICAL DESCRIPTION/PROPERTIES:

Appearance: Opaque Liquid  
Vapour Pressure: Info not available  
Boiling Point: >150 deg C  
Volatile Component: <2% by weight  
Specific Gravity: Approx 0.9  
Flash Point: None  
Flammability Limits: 14.8% LEL: 22% UEL: (methanol)  
Autoignition Temp: 615 deg C  
Rel Vapour Density: Approx .3  
Form: Liquid

#### 3.) INGREDIENTS:

Chemical Entity:	Proportion:
Natural Glycerol Ester (Triglyceride)	90-95%
Gelling agents:	3 - 5%

#### 4.) HEALTH HAZARD INFORMATION:

TARALAC Orientation & Antisettling Additive is not a hazardous material nor does it contain any hazardous ingredients.

#### 5.) FIRST AID:

INGESTION: Rinse the mouth.  
INHALATION: Remove to fresh air immediately.  
SKIN: Wash with plenty of water and soap.  
EYES: Rinse with plenty of water.

#### 6.) TOXICITY DATA:

Expected LD50 oral rat >5000 mg/kg.



**TARALAC®**

# TARA PAINTS & CHEMICALS

(An ISO 9001:2015 Certified Company)

A - 423 / 14, Mahagujarat Industrial Estate, Sarkhej - Bavla Road, Lane Behind Satyam Arcade,  
Village : Moraiya, Ahmedabad - 382 210, Gujarat (India)

Tel: (F): +91 8000011774, E-mail: taralac@hotmail.com , taralac@taralac.com Website: www.taralac.com

## 7.) PRECAUTIONS FOR USE:

Wearing of the following personal protective equipment is recommended. Safety glasses, goggles or face shield, chemically resistant gloves, overalls or similar protective apparel, enclosed footwear. Avoid skin contact. Avoid inhaling vapour, mist or dust. Do not smoke.

## 8.) FLAMMABILITY: Non flammable.

## 9.) ECOLOGICAL INFORMATION:

MOBILITY: Not determined.

DEGRADABILITY: Readily biodegradable

ACCUMULATION: Minimum biodegradability is 60% BSB30/CSB resp. 70% DOC.

## 10.) SAFE HANDLING INFORMATION: Use in a well-ventilated area. Do not use with incompatible substances.

## 11.) STORAGE AND TRANSPORT: Store in a cool, dry, well-ventilated area out of direct sunlight.

## 12.) DISPOSAL CONSIDERATIONS: Can be land-filled together with household refuse, in accordance with local regulations.

## 13.) FIRE FIGHTING MEASURES:

EXTINGUISHING MEDIA: Foam, carbon dioxide, water, dry chemical powder

UNSUITABLE MEDIA: No restrictions.

PROTECTIVE EQUIPMENT: Not required, except regular fire-fighters equipment and self-contained breathing apparatus.

## 14.) REACTIVITY DATA: Avoid oxidising agents. Avoid contact with ketones and water.

## 15.) OTHER INFORMATION:

**DISCLAIMER:** The data provided here is based on current knowledge and experience. The purpose for this Safety Data Sheet is to describe the product in terms of its safety requirements. The data does not signify any warranty with regard to the properties or end use or handling of the product. All information is provided in good faith but without guarantee and without acceptance of responsibility of accuracy.

TARALAC Orientation & Antisettling Additive assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.

## 16.) SUPPLIER: TARA PAINTS & CHEMICALS

A/423/14, Mahagujarat Industrial Estate,

Sarkhej-Bavla Road, NH.No.8A,

Moraiya, Ahmedabad – 382210

Ph: +91 8000011774